



Fig. 1 (PRIOR ART)




Fig. 2 (PRIOR ART)




Fig. 3




Fig. 4 400




Fig. 5a




Fig. 5b




Fig. 5c




Fig. 5d




Fig. 5e




Fig. 5f




Fig. 6




Fig. 7




Fig. 8

MFP		
NON-VOLATILE		VOLATILE
PERMANENT	SEMI-PERMANENT	
BASE CONFIG	OPTIONS	STATUS CONSUMABLES

EXAMPLE:

PERMANENT:

(NEVER CHANGES)

PRINTER MODEL
PRINTER SPEED
STANDARD INPUT TRAYS
STANDARD OUTPUT TRAYS
SHEET ASSEMBLER (DUPLEX, BOOKLET, COLLATION)

SEMI-PERMANENT:

*(CAN ONLY CHANGE BETWEEN
SYSTEM UP CYCLES)*

PRINTER NAME
PRINTER NETWORK ADDRESS
PDL INTERPRETER
ADDITIONAL INPUT TRAYS
FINISHERS (STAPLER, PUNCH, STACKER, FOLDER, MAIL BINS)
MEMORY

VOLATILE:

(CAN CHANGE DURING SYSTEM UP TIME)

DEVICE STATUS (READY, BUSY, ERROR, OFFLINE)
PAPER STOCK
TONER LEVEL
STAPLE STOCK

Fig. 9

